


msi® *ipc*

MS-C9ZB SPEC.

AI ERA

OF COMPUTING

Key Features (Preliminary)



- Intel® 14th/13th/12th Gen Raptor Lake-S Refresh/Raptor Lake-S/Alder Lake-S Series/Bartlett Lake-S with Q670E
- 4 DDR5 4400 MT/s ECC/non-ECC UDIMM slots up to 128GB
- Support up to 3x 3.5" HDD or up to 2x 2.5" HDD
- Triple independent displays: VGA, DP, HDMI 1
- Front USB 2.0
- 2 2.5GbE LAN with RJ-45
- 1 PCIe x16 (Gen 5) or 2 PCIe x8 (Gen 5), 1 PCIe x4 (Gen 4), 3 PCIe x4 (Gen 3), 1 PCI slot, 1 M.2 B key slots
- Onboard TPM 2.0
- SMBus, I2C, PMBus, iAMT 16.x, Chassis Intrusion
- 1 x MIC
- Support WatchDog
- ATX Power

MS-C9ZB SPEC.



Company		MSI		Company		MSI		
Model Name		MS-C9ZB		Model Name		MS-C9ZB		
CPU / Chipset		Intel 12 th /13 th /14 th , S-series, Q670E Max125W		TPM		Infineon® SLB9672VU2.0		
Memory		4400 MT/s ECC/non-ECC UDIMM slots up to 128GB		Physical dimension	482*450*177mm			
Display		3 x HDMI, D-Sub, DP			Weight	18Kg.		
LAN		2 x Intel® I226-LM 2.5GbE		OS Support		Support Windows 11/10 Enterprise (64-Bit), Linux Kernel 5.XX		
Thermal Solution		FAN		Power Support		ATX 1300W		
Audio		Realtek ALC897 Audio Codec		Max Resolution	HDMI		2 x 4096 x 2160 @60Hz	
Storage		up to 3x 3.5” HDD or up to 2x 2.5” HDD			DP		NA	
		2 x M.2 M key (NVME)		Certificates		CCC ready, Fulfill CE / FCC		
Interface	DP	1		TEMP.	OP TEMP.		0~60°C	
	HDMI	1			STG TEMP.		-20~80°C	
	USB	• 8 x USB3.2 GEN 2 TypeA • 2 x USB2.0 (Front)		Humidity		10 ~ 90%, non-condensing		
	Audio	Line-out, Mic In(rear) Lin-in (Front)		Extended		2 x PCIe x16 slot(signal:x16 or x8 + x8)		
	Serial	1				4 x PCIe x4 slot		
	LED	HDD, Power				1 x PCI slot		

msi

AI ERA OF COMPUTING



msi



Official Partner

AMG
MOTORSPORT



PCR
POST-CONSUMER RECYCLED

